

TELE *di Marmo*  
PURE ONYX

EMIL  
CERAMICA




Pure Onyx propone una palette cromatica di tinte tenui e ben definite. Onyx Malva, Onyx Miele, Onyx Perla, Onyx Giada e Onyx Turchese insieme costituiscono la pura essenza della collezione.


Le sfumature e le trasparenze tipiche dell'onice stratificate sotto la superficie evocano una suggestiva tridimensionalità. Le cinque tonalità, 3 finiture e 5 formati garantiscono a progettisti e interior designer un ampio patrimonio estetico a servizio della personalità unica di ogni ambiente. Una collezione di onici ceramici nobili e sontuosi, elegantemente espressivi e destinati a durare nel tempo, che rappresenta un'ulteriore tappa nel percorso di ricerca estetica di Emilceramica.

Pure Onyx offers a range of delicate yet clearly defined colours. Together, Onyx Malva, Onyx Miele, Onyx Perla, Onyx Giada and Onyx Turchese constitute the intrinsic essence of the collection.

The shade variations and transparent effects that typify onyx are stratified beneath the surface, evoking an exquisite three-dimensional impression. The five shades, 3 finishes and 5 sizes provide architects and interior designers with a vast aesthetic capital at the service of the unique personality of any location. A collection of noble, sumptuous, elegantly expressive yet durable ceramic onyxes, in which Emilceramica's aesthetic research reaches new heights.



*Onyx Perla*



*Onyx Miele*



*Onyx Giada*



*Onyx Turchese*



*Onyx Malva*



Onyx Perla 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.



Onyx Perla 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Be-Square Black 120x278 - 47 1/4"x109 7/16" Nat. Rett.

*Pura energia*



**Pure energy**



Onyx Giada 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.



Onyx Malva 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.



Onyx Malva 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Onyx Perla 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.



Onyx Miele 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Onyx Giada 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Onyx Malva 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Onyx Perla 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.  
Onyx Turchese 120x278 - 47 1/4"x109 7/16" Full Lappato Rett.

**COLORI E FORMATI**

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

**Onyx Perla**

6,5 mm.



La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

6,5 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
EMGN Onyx Perla  
**Naturale Rett.**  
EMGF Onyx Perla

9 mm.



90x180 - 35<sup>7/16</sup> x 70<sup>7/8</sup>  
**Full Lappato Rett.**  
EMP8 Onyx Perla  
**Naturale Rett.**  
EMP7 Onyx Perla

9 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Naturale Rett.**  
EMM1 Onyx Perla

9 mm.



60x120 - 23<sup>5/8</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
EMMN Onyx Perla  
**Silktech Rett.**  
EMKD Onyx Perla



30x60 - 11<sup>13/16</sup> x 23<sup>5/8</sup>  
**Full Lappato Rett.**  
EMMJ Onyx Perla  
**Silktech Rett.**  
EMMF Onyx Perla

120x278 - 47<sup>1/4</sup> x 109<sup>7/16</sup>  
**Full Lappato Rett.**  
EMFZ Pure Onyx Perla  
8 patterns  
**Naturale Rett.**  
EMGA Onyx Perla  
8 patterns

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm. Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.


Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes. Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen. Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

**COLORI E FORMATI**

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

**Onyx Miele**

6,5 mm.




La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

6,5 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
EMGM Onyx Miele

9 mm.



60x120 - 23<sup>5/8</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
EMMP Onyx Miele  
**Silktech Rett.**  
EMKF Onyx Miele



30x60 - 11<sup>13/16</sup> x 23<sup>5/8</sup>  
**Full Lappato Rett.**  
EMMM Onyx Miele  
**Silktech Rett.**  
EMMD Onyx Miele

120x278 - 47<sup>1/4</sup> x 109<sup>7/16</sup>  
**Full Lappato Rett.**  
EMFY Onyx Miele  
8 patterns

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm. Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes. Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen. Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

**COLORI E FORMATI**

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

**Onyx Giada**

6,5 mm.




120x278 - 47<sup>1/4</sup> x 109<sup>7/16</sup>  
**Full Lappato Rett.**  
**EMG0** Onyx Giada  
8 patterns



La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

6,5 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMGP** Onyx Giada

9 mm.



60x120 - 23<sup>5/8</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMMR** Onyx Giada  
**Silktech Rett.**  
**EMKA** Onyx Giada



30x60 - 11<sup>13/16</sup> x 23<sup>5/8</sup>  
**Full Lappato Rett.**  
**EMMK** Onyx Giada  
**Silktech Rett.**  
**EMMG** Onyx Giada

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm. - Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes. - Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen. - Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

**COLORI E FORMATI**

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

**Onyx Turchese**

6,5 mm.




120x278 - 47<sup>1/4</sup> x 109<sup>7/16</sup>  
**Full Lappato Rett.**  
**EMG1** Onyx Turchese  
8 patterns



La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

6,5 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMGQ** Onyx Turchese

9 mm.



60x120 - 23<sup>5/8</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMMS** Onyx Turchese  
**Silktech Rett.**  
**EMKE** Onyx Turchese



30x60 - 11<sup>13/16</sup> x 23<sup>5/8</sup>  
**Full Lappato Rett.**  
**EMMH** Onyx Turchese  
**Silktech Rett.**  
**EMMC** Onyx Turchese

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm. - Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes. - Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen. - Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.





La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.


**Onyx Malva**

6,5 mm.



120x278 - 47<sup>1/4</sup> x 109<sup>7/16</sup>  
**Full Lappato Rett.**  
**EMFX** Onyx Malva  
8 patterns

6,5 mm.



120x120 - 47<sup>1/4</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMGL** Onyx Malva

9 mm.



60x120 - 23<sup>5/8</sup> x 47<sup>1/4</sup>  
**Full Lappato Rett.**  
**EMMQ** Onyx Malva  
**Silktech Rett.**  
**EMLZ** Onyx Malva



30x60 - 11<sup>13/16</sup> x 23<sup>5/8</sup>  
**Full Lappato Rett.**  
**EMML** Onyx Malva  
**Silktech Rett.**  
**EMME** Onyx Malva



La tecnologia Silktech combina prestazioni antiscivolo elevate e una superficie ceramica setosa al tatto. The Silktech technology combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

**DECORI**


Decors | Decors | Dekore | Decorados | Декоры

**Mosaico 5x5\***

Tessera - Chip 4,8x4,8 - 1<sup>7/8</sup> x 1<sup>7/8</sup>"




30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQU** Onyx Perla  
**Silktech**  
**EMQP** Onyx Perla




30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQT** Onyx Miele  
**Silktech**  
**EMQR** Onyx Miele



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQW** Onyx Giada  
**Silktech**  
**EMQM** Onyx Giada



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQS** Onyx Turchese  
**Silktech**  
**EMQQ** Onyx Turchese



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQV** Onyx Malva  
**Silktech**  
**EMQN** Onyx Malva

**Intrecci\***



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMR1** Onyx Perla  
**Silktech**  
**EMR5** Onyx Perla




30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQX** Onyx Miele  
**Silktech**  
**EMR6** Onyx Miele



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMR0** Onyx Giada  
**Silktech**  
**EMR4** Onyx Giada



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQZ** Onyx Turchese  
**Silktech**  
**EMR3** Onyx Turchese



30x30 - 11<sup>13/16</sup> x 11<sup>13/16</sup>  
**Full Lappato**  
**EMQY** Onyx Malva  
**Silktech**  
**EMR2** Onyx Malva

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.  
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.  
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.  
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

\* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке