

KALAHARI

GRES PORCELLANATO

PORCELAIN TILE / GRÉS CÉRAME / FEINSTEINZEUG
GRES PORCELAINO / КЕРАМОГРАНИТ / 瓷质砖

ISO 13006 - G - B1a GL (E ≤ 0.5%) UNI EN 14411 - G



FORMATI

SIZES / FORMATS / FORMATE / FORMATOS / ФОРМАТЫ / 规格



40X60
16"X24"

SUPERFICI

SURFACES / SURFACES / OBERFLÄCHEN / SUPERFÍCIES / ПОВЕРХНОСТИ / 表面



COLORI

COLOURS / COULEURS / FARBEN / COLORES / ЦВЕТА / 颜色



KALAHARI

GRES PORCELLANATO
 PORCELAIN TILE / GRES CERAMIC / FEINSTEINZEUG
 GRES PORCELANICO / KEPAKOD PAHIT / 瓷 磚 磚



A



B



T



MC



MU KALAHARI/23A
 20X30-8"X12" △



MU KALAHARI/23B
 20X30-8"X12" △



MU KALAHARI/23T
 20X30-8"X12" △



MU KALAHARI/23MC
 20X30-8"X12" △



40X60-16"X24"



33,3X33,3-13.1"X13.1"



KALAHARI 46A

MK.KALAHARI A



KALAHARI 46B

MK.KALAHARI B



40X60-16"X24"



33,3X33,3-13.1"X13.1"



KALAHARI 46T

MK.KALAHARI T



KALAHARI 46MC

MK.KALAHARI MC

KALAHARI

GRES PORCELLANATO

PORCELAIN TILE / GRES CERAME / FEINSTEINZEUG
GRES PORCELANICO / КЕРАМОПАНИТ / 瓷质砖



N



MU KALAHARI23N
20X30-8°X12°

PEZZI SPECIALI

SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE
PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ СРЕДСТВА / 特殊件



9,5X60-3.7°X24°

A	KALAHARI BT 60A
B	KALAHARI BT 60B
T	KALAHARI BT 60T
MC	KALAHARI BT60MC
N	KALAHARI BT 60N

CARATTERISTICHE TECNICHE SPECIFICHE

TECHNICAL FEATURES SPECIFICATIONS / CARACTERISTIQUES TECHNIQUES SPECIFIQUES / TECHNISCHE EIGENSCHAFTEN
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБОВАНИЯ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术要求

KALAHARI	DIN 51130 (P)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 1416/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3890 (DOOP)	AVERAGE VALUE
			G.A.	G.B.	C.A.	G.B.					
	R10	A	>0.4	>0.4	>0.4	>0.4	>25	>35	1	0.60	