



65° PARALLELO/

GRES PORCELLANATO A TUTTO SPESSORE
 FULL BODY PORCELAIN TILE
 GRÈS CÉRAME PLEINE MASSE
 DURCHGEFÄRBTES FEINSTEINZEUG
 GRES PORCELÁNICO A TODA MASA
 ПОЛНОТЕЛЫЙ КЕРАМОГРАНИТ
 通体瓷质砖

ISO 13006 - G - Bla UGL (E ≤ 0,5%) UNI EN 14411 - G -




RM V2



60X120 / 24"X48"



75X75 / 30"X30"




37,5X75 / 15"X30"




60X60 / 24"X24"

GRES PORCELLANATO A TUTTO SPESSORE / FULL BODY PORCELAIN TILE / GRÉS CÉRAME PLEINE MASSE / DURCHGEFÄRBTES FEINSTEINZEUG
GRES PORCELÁNICO A TODA MASA / ПОЛНОТЕЛЫЙ КЕРАМОГРАНИТ / 通体瓷质砖

ISO 13006 - G - Bla UGL (E ≤ 0,5%) UNI EN 14411 - G -



ST	N	.65PRL N	.65PRL 12N RM	.65PRL 75N RM	.65PRL 377N RM	.65PRL 60N RM	MK.65PRL 30N
		.65PRL G	.65PRL 12G RM	.65PRL 75G RM	.65PRL 377G RM	.65PRL 60G RM	MK.65PRL 30G




ST	N	.65PRL W	.65PRL 12W RM	.65PRL 75W RM	.65PRL 377W RM	.65PRL 60W RM	MK.65PRL 30W
		.65PRL B	.65PRL 12B RM	.65PRL 75B RM	.65PRL 377B RM	.65PRL 60B RM	MK.65PRL 30B


GRES PORCELLANATO A TUTTO SPESSORE / FULL BODY PORCELAIN TILE / GRÉS CÉRAME PLEINE MASSE / DURCHGEFÄRBTES FEINSTEINZEUG
GRES PORCELÁNICO A TODA MASA / ПОЛНОТЕЛЫЙ КЕРАМОГРАНИТ / 通体瓷质砖

ISO 13006 - G - Bla UGL (E ≤ 0,5%) UNI EN 14411 - G -


Elementi decorativi / Decorative elements / Éléments décoratifs / Dekorations-Elemente
Elementos decorativos / Декоративные элементы / 装饰元素




.65PRL DK 12N 2
60X120 / 24"X48"




.65PRL DK 12G 2
60X120 / 24"X48"




.65PRL DK 12W 2
60X120 / 24"X48"



.65PRL DK 12B 2
60X120 / 24"X48"



MK.65PRL N
30X30 / 12"X12"



MK.65PRL MIX
30X30 / 12"X12"

.65PRL L 0,5X60
0,5X60 / 0.2"X24"



Pezzi speciali / Trims / Pièces spéciales / Sonderstücke
Piezas especiales / Специальные элементы / 特制件



6X60 △
2.4"X24"



6X75 △
2.4"X30"



120X32,5 △
48"X12.8"

.65PRL N	.65PRL BT60N	.65PRL BT75N	.65PRL G120N
.65PRL G	.65PRL BT60G	.65PRL BT75G	.65PRL G120G
.65PRL W	.65PRL BT60W	.65PRL BT75W	.65PRL G120W
.65PRL B	.65PRL BT60B	.65PRL BT75B	.65PRL G120B

ARTICOLO	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REPCCEC 6/81		DM 14/6/89 N.236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF) average value
			g.a.	g.b.	c.a.	g.b.				
.65PRL	R10	A	> 0,4	> 0,4	-	-	>25	>35	1	0,56