

# Pure


White body wall tiles



PURE | SET UP-S/R PURE-W/100/R



PURE | PURE DECOR ALEX WHITE BENTON-N\_20



PURE | PURE WHITE\_25\*75 PURE SILVER\_25\*75 PURE SILVER DECOR SMITH\_25\*75 MILA COLD\_60,7\*60,7/SF/R



PURE | PURE GEOMETRIC\_100/R ASPEN SAND\_19,5\*121,5/R





PURE | OTLET-W/R




PURE | FIBER-W/R FIBER-G/R



PURE | PURE-W\_40\*120/R PURE PRISM\_40\*120/R ASPEN CAMEL\_19,5\*121,5/R

40 \* 120 cm  
15 3/4 \* 47 1/4"




PURE



40 \* 120 \* 0,7 cm | 15 3/4 \* 47 1/4 \* 3/4"

RECTIFIED	NATURAL
W	BN101
	23378



PURE PRISM



40 \* 120 \* 0,85 cm | 15 3/4 \* 47 1/4 \* 3/4"

RECTIFIED	NATURAL
PURE PRISM	BN102
	23377

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	mat	thickness

EMBALAJE | PACKING


Formato   Sizes	Cajas   Boxes			Pallet			Cont./20' 21500 kg.	Cont./20' 24000 kg.	
	Piezas	m <sup>2</sup> /sq.m	kg	Cajas	m <sup>2</sup> /sq.m	kg			Tamaño cm aprox.
40 * 120 * 0,7	5	2,36	27,50	21	49,56	601,50	120 * 80 * 54	1771,47	1977,46
40 * 120 * 0,85	4	1,89	25,68	20	37,80	537,60	120 * 80 * 54	1511,72	1687,50
inch	Units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes inch approx.	ft <sup>2</sup>	ft <sup>2</sup>
15 3/4 * 47 1/4 * 1/4	5	25,40	60,50	21	533,46	1323,30	47 1/4 * 31 1/2 * 21 1/4	19067,94	21285,14
15 3/4 * 47 1/4 * 1/4	4	20,34	56,50	20	406,88	1182,72	47 1/4 * 31 1/2 * 21 1/4	16271,99	18164,08

# Pure

White body wall tiles



PURE White



## PURE



33,3 \* 100 \* 0,7 cm | 13 1/8 \* 39 3/8 \* 1/8"

RECTIFIED	NATURAL FIN CODE BN65
W	20586



15,5 \* 100 \* 0,7 cm  
6 1/8 \* 39 3/8 \* 5/16"


RECTIFIED	NATURAL FIN CODE BN105
W	23824



8 \* 33,3 \* 0,7 cm  
3 1/8 \* 13 1/8 \* 1/8"

RECTIFIED	NATURAL FIN CODE BN106
W	23827

SET-UP S | Decor



## SET UP




33,3 \* 100 \* 0,7 cm | 13 1/8 \* 39 3/8 \* 1/8"

RECTIFIED	NATURAL FIN CODE BN66
S	21364

33,3 \* 100 cm

13 1/8 \* 39 3/8"

PURE Geometric



PURE Striped



D.PURE | Waves



## PURE GEOMETRIC



33,3 \* 100 \* 0,86 cm | 15 1/8 \* 39 3/8 \* 1/4"

RECTIFIED	NATURAL FIN CODE BN66
PURE GEOMETRIC	23168

## PURE STRIPED



33,3 \* 100 \* 0,7 cm | 13 1/8 \* 39 3/8 \* 1/8"

RECTIFIED	NATURAL FIN CODE BN66
PURE STRIPED	23169

## \* D.PURE WAVES



33,3 \* 100 \* 0,7 cm | 13 1/8 \* 39 3/8 \* 1/8"

RECTIFIED	NATURAL FIN CODE P85
D. PURE WAVES	22334



22303 ALUMINIO/100/MAT \_ 100\*0,5 cm | 39 3/8 \* 41 5/16 \_ P42

\* No se aconseja su uso en zonas con presencia de vapor.  
Not suitable for environments where water vapour is present.


CARACTERÍSTICAS TÉCNICAS   TECHNICAL CHARACTERISTICS			
joint	wall tiles	mat	thickness

EMBALAJE   PACKING								
Formato   Sizes	Cajas   Boxes			Pallet			Cont./20' 21500 kg.	Cont./20' 24000 kg.
	Piezas	m <sup>2</sup> /sq.m	kg	Cajas	m <sup>2</sup> /sq.m	kg	Tamaño cm aprox.	m <sup>2</sup> /sq.m
33,3 * 100 * 0,7	6	2	26,6	24	48	663,4	118 * 105 * 48	1556
33,3 * 100 * 0,86	5	1,67	26,6	24	40	663,4	118 * 105 * 48	1299
inch	units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes Inch approx.	ft <sup>2</sup>
13 1/8 * 39 3/8 * 1/4	6	21,51	58,52	24	516,66	1462,5	46 7/16 * 41 5/16 * 19 7/8	16748,64
13 1/8 * 39 3/8 * 5/16	5	17,97	58,52	24	430,55	1462,5	46 7/16 * 41 5/16 * 19 3/8	13982,32


# Pure

White body wall tiles

32 \* 90 cm  
12 5/8 \* 35 7/16"




PURE W



LINOC W



MAZE W



OTLET W



FIBER W



FIBER G



D.NEVERS



D.ESTELAR W

PURE




32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC BN29
W	16159

33 \* 91 \* 1,05 cm | 13 \* 35 13/16 \* 7/16"

NO RECTIFIED	NATURAL INC.LOCC BN21
W	16150

LINOC




32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC BN36
W	18157

33 \* 91 \* 1,05 cm | 13 \* 35 13/16 \* 7/16"

NO RECTIFIED	NATURAL INC.LOCC BN25
W	18154

MAZE



32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC BN36
W	16158

33 \* 91 \* 1,05 cm | 13 \* 35 13/16 \* 7/16"

NO RECTIFIED	NATURAL INC.LOCC BN25
W	16152

FIBER



32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC BN36
W	16161
G	16160

33 \* 91 \* 1,05 cm | 13 \* 35 13/16 \* 7/16"

NO RECTIFIED	NATURAL INC.LOCC BN25
W	16153
G	16151


OTLET



32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC BN36
W	18159

D.NEVERS



32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC P85
D.NEVERS	16563

\*D.ESTELAR



32 \* 90 \* 1,05 cm | 12 5/8 \* 35 7/16 \* 7/16"

RECTIFIED	NATURAL INC.LOCC P85
W	18460

\* No se aconseja su uso en zonas con presencia de vapor. Not suitable for environments where water vapour is present.



20347 L. IRON ANTHRACITE \_ 1,5\*90 cm | 5/16" \* 3 9/16" \_ P38



20348 L. IRON MOCCHA \_ 1,5\*90 cm | 5/16" \* 3 9/16" \_ P38



07021 ACERO/90 \_ 1,5\*90 cm | 5/16" \* 3 9/16" \_ P30



07605 ALUMINIO/90 \_ 0,5\*90 cm | 3/16" \* 3 9/16" \_ P39

CARACTERÍSTICAS TÉCNICAS   TECHNICAL CHARACTERISTICS		
joint	wall tiles	matte


EMBALAJE   PACKING									
Formato   Sizes		Cajas   Boxes			Pallet			Cont./20'   24000 kg.	
cm	Piezas	m <sup>2</sup> /sq.m	kg	Cajas	m <sup>2</sup> /sq.m	kg	Tamaño cm aprox.	m <sup>2</sup> /sq.m	m <sup>2</sup> /sq.m
32 * 90 * 1,05	4	1,15	20,90	56	64,51	1195,40	120 * 80 * 105	1160,29	1295,20
33 * 91 * 1,05	4	1,20	21,80	51	61,26	1136,80	120 * 80 * 106	1158,62	1293,34
inch	Units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes inch approx.	ft <sup>2</sup>	ft <sup>2</sup>
12 5/8 * 35 7/16 * 7/16	4	12,40	45,98	56	694,40	2629,88	47 1/4 * 31 1/2 * 41 5/16	12489,22	13941,46
13 * 35 13/16 * 7/16	4	12,93	47,96	51	659,41	2500,96	47 1/4 * 31 1/2 * 41 3/4	12471,24	13921,38

# Pure


White body wall tiles

25 \* 75 cm  
9 13/16 \* 29 1/2"


PURE White



PURE Sand



PURE Silver




PURE Black



PURE White | Decor Smith



PURE Sand | Decor Smith





PURE Silver | Decor Smith



PURE Black | Decor Smith



PURE White | Decor Alex



30 \* 30 cm | 11 13/16 \* 11 13/16"

NATURAL	22332
---------	-------


PURE \_\_\_\_\_



25 \* 75 \* 1,05 cm | 9 13/16 \* 29 1/2 \* 3/16"

NO RECTIFIED	NATURAL
	REL. CODE BN16
WHITE	21786
SILVER	23171
SAND	23172
BLACK	23170


PURE DECOR SMITH \_\_\_\_\_



25 \* 75 \* 1,05 cm | 9 13/16 \* 29 1/2 \* 3/16"

NO RECTIFIED	NATURAL
	REL. CODE BN20
WHITE	21788
SILVER	23174
SAND	23173
BLACK	23175


PURE DECOR ALEX \_\_\_\_\_



25 \* 75 \* 1,05 cm | 9 13/16 \* 29 1/2 \* 3/16"

NO RECTIFIED	NATURAL
	REL. CODE BN20
WHITE	21787

D.WHITE MIX MOSAIC \_\_\_\_\_



30 \* 30 cm | 11 13/16 \* 11 13/16"

NO RECTIFIED	NATURAL
	REL. CODE P44
D.WHITE MIX MOSAIC	22615

D. PURE MOSAIC \_\_\_\_\_



30 \* 30 cm | 11 13/16 \* 11 13/16"

NO RECTIFIED	NATURAL
	REL. CODE P44
SILVER	23531
SAND	23534
BLACK	23533



20345 L. IRON SNUFF \_ 1 \* 75 cm | 30 \* 29 1/2" \_ P35



20346 L. IRON NATURAL \_ 1 \* 75 cm | 30 \* 29 1/2" \_ P35



11899 ALUMINIO/75 \_ 0,5 \* 75 cm | 316 \* 29 1/2" \_ P36

## CARACTERÍSTICAS TÉCNICAS TECHNICAL CHARACTERISTICS



Formato   Sizes		Cajas   Boxes			Pallet			Cont./20'	Cont./20'
cm	Piezas	m <sup>2</sup> /sq.m	kg	Cajas	m <sup>2</sup> /sq.m	kg	Tamaño cm aprox.	m <sup>2</sup> /sq.m	m <sup>2</sup> /sq.m
25 * 75 * 1,05	7	1,31	25	42	53,13	1075	120 * 80 * 90	1102,5	1230,7
inch	units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes Inch approx.	ft <sup>2</sup>	ft <sup>2</sup>
9 13/16 * 29 1/2 * 3/16	7	14,13	55	42	593,36	2365	47 1/4 * 31 1/2 * 35 3/16	11867,20	13247,11